LIGHT BERRY®

SMART LIGHTING SMART IDEAS

AN ISO 9001:2015 Certified Company

LONG-LASTING LIGHTS

TO MAKE

YOUR FUTURE BRIGHT

Copyright © 2021 Light Berry Innovative Idea Private Limited

91376 03649 lightberryindia@gmail.com www.lightberry.in

INDEX

LED PANEL LIGHT SOLUTION

CODE	MODEL	PAGE
EL-1001	REGULAR LED PANEL	02
EL-2001	REGULAR LED PANEL	02
EL-3004	CURVE LED PANEL	03
EL-3006	3IN1 CURVE LED PANEL	03
SM-EL-3004	SMARTY WIFI CURVE PANEL	03
EL-1006	DOWNLIGHT FITTING	04
SM-EL-1006	SMARTY WIFI DOWNLIGHT	04
EL-1008	BACKLIT LED PANEL 2x2	05
EL-1010	BACKLIT LED PANEL 2x2	05
EL-3005	SURFACE LED PANEL	06
BR-1003	SURFACE LED PANEL	06
BR-1001	REGULAR LED PANEL	07
EL-1002	TRIMLESS SLIM PANEL	08
EL-1003	TRIMLESS SURFACE PANEL	08
EL-1004	PVC DOWNLIGHT FITTING	09
EL-1005	BACKLIT LED PANEL	10
EL-1009	DOWNLIGHT IP68	11
EL-2002	DIRECT SMD SURFACE LIGHT	12
EL-2003	SURFACE LED LIGHT	12
EL-2004	ABS SURFACE PANEL	13
EL-2005	JUNCTION LIGHT	14
EL-2006	JUNCTION LIGHT	14

CODE	MODEL	PAGE
EL-2007	JUNCTION LIGHT	14
EL-2008	RIMLESS SURFACE LED PANEL	15
EL-2009	BORDERLESS SURFACE LIGHT	15
EL-3003	SMART DETACHABLE PANEL	16
EL-1007	REGULAR LED PANEL 1x1	16
EL-3001	COLOUR CHANGING PANEL	17
EL-3002	FRAMELESS LED PANEL	18

REGULAR LED PANEL

PRODUCT SPECIFICATION

MODEL	POWER	LUMEN	SIZE	CUT SIZE	PF
EL-1001	3 WATT	≥200 LM	⌀85x25mm/85x85x25mm	⌀70mm/70x70mm	0.9
EL-1001	8 WATT	≥700 LM	⌀120x25mm/120x120x25mm	⌀105mm/105x105mm	0.9
EL-1001	12 WATT	≥1000 LM	⌀150x25mm/150x150x25mm	⌀130mm/130x130mm	0.9
EL-1001	15 WATT	≥1250 LM	⌀172x25mm/172x172x25mm	⌀155mm/155x155mm	0.9
EL-1001	22 WATT	≥1500 LM	⌀225x25mm/225x225x25mm	⌀205mm/205x205mm	0.9

MODEL	POWER	LUMEN	SIZE	CUT SIZE	PF
EL-2001	8 WATT	≥640 LM	⌀120x25mm/120x120x25mm	⌀105mm/105x105mm	0.9
EL-2001	15 WATT	≥1200 LM	⌀150x25mm/150x150x25mm	⌀130mm/130x130mm	0.9
EL-2001	22 WATT	≥1760 LM	⌀172x25mm/172x172x25mm	⌀155mm/155x155mm	0.9

MODEL	POWER	LUMEN	SIZE	CUT SIZE	PF
SM-EL-2001	15 WATT	≥1200 LM	⌀150x25mm/150x150x25mm	⌀130mm/130x130mm	0.9
SM-EL-2001	22 WATT	≥1760 LM	⌀172x25mm/172x172x25mm	⌀155mm/155x155mm	0.9

2 YEARS WARRANTY | HIGH LUMENS | 2.5 KVA SURGE | EXCELLENT CRI | LONG LIFE | ECO FRIENDLY | 0.9 P.F | IP20

MAKE IN India

RESIDENTIAL | COMMERCIAL | INDUSTRIAL

3000K | 4000K | 6000K | 3IN1 | WIFI

CURVE LED PANEL

PRODUCT SPECIFICATION

MODEL	POWER	LUMEN	SIZE	CUT SIZE
EL-3004	3 WATT	≥285 LM	⌀82mm/82x82mm	⌀70mm/70x70mm
EL-3004	8 WATT	≥800 LM	⌀112mm/112x112mm	⌀100mm/100x100mm
EL-3004	15 WATT	≥1425 LM	⌀160mm/160x160mm	⌀148mm/148x148mm
EL-3004	22 WATT	≥2090 LM	⌀212mm/212x212mm	⌀200mm/200x200mm

MODEL	POWER	LUMEN	SIZE	CUT SIZE
EL-3006	3 WATT	≥285 LM	⌀82mm/82x82mm	⌀70mm/70x70mm
EL-3006	8 WATT	≥800 LM	⌀112mm/112x112mm	⌀100mm/100x100mm
EL-3006	15 WATT	≥1425 LM	⌀160mm/160x160mm	⌀148mm/148x148mm
EL-3006	22 WATT	≥2090 LM	⌀212mm/212x212mm	⌀200mm/200x200mm

MODEL	POWER	LUMEN	SIZE	CUT SIZE
SM-EL-3004	3 WATT	≥285 LM	⌀82mm/82x82mm	⌀70mm/70x70mm
SM-EL-3004	8 WATT	≥800 LM	⌀112mm/112x112mm	⌀100mm/100x100mm
SM-EL-3004	15 WATT	≥1425 LM	⌀160mm/160x160mm	⌀148mm/148x148mm
SM-EL-3004	22 WATT	≥2090 LM	⌀212mm/212x212mm	⌀200mm/200x200mm

A New Era Of Brightness

2 YEARS WARRANTY | HIGH LUMENS | 2.5 KVA SURGE | EXCELLENT CRI | LONG LIFE | ECO FRIENDLY | 0.9 P.F | IP20

MAKE IN India

RESIDENTIAL | COMMERCIAL | INDUSTRIAL

3000K | 4000K | 6000K | 3IN1 | WIFI

FOLLOW US AT

WWW.LIGHTBERRY.IN

DOWNLIGHT FITTING

RESIDENTIAL | COMMERCIAL | INDUSTRIAL

FOLLOW US AT

PRODUCT SPECIFICATION

MODEL	POWER	LUMEN	SIZE	CUT SIZE	PF
EL-1006	12 WATT	≥1100 LM	⌀120x50mm/110x110x50mm	⌀100mm/100x100mm	0.9
EL-1006	18 WATT	≥1700 LM	⌀150x50mm/145x145x50mm	⌀137mm/137x137mm	0.9
EL-1006	24 WATT	≥2400 LM	⌀170x50mm/165x165x50mm	⌀160mm/160x160mm	0.9

MODEL	POWER	LUMEN	SIZE	CUT SIZE	PF
SM-EL-1006	12 WATT	≥1100 LM	⌀120x50mm/110x110x50mm	⌀100mm/100x100mm	0.9
SM-EL-1006	18 WATT	≥1700 LM	⌀150x50mm/145x145x50mm	⌀137mm/137x137mm	0.9
SM-EL-1006	24 WATT	≥2400 LM	⌀170x50mm/165x165x50mm	⌀160mm/160x160mm	0.9

2 YEARS WARRANTY | HIGH LUMENS | 2.5 KVA SURGE | EXCELLENT CRI | LONG LIFE | ECO FRIENDLY | 0.9 P.F | IP20

MAKE IN India

3000K | 4000K | 6000K | WIFI

WWW.LIGHTBERRY.IN

BACKLIT LED PANEL 2x2

PRODUCT SPECIFICATION

MODEL	POWER	LUMEN	SIZE
EL-1008	48 WATT	≥4560 LM	⌀600x600x25mm

MODEL	POWER	LUMEN	SIZE
EL-1010	36 WATT	≥4560 LM	⌀600x600mm
EL-1010	48 WATT	≥4560 LM	⌀600x600mm

2 YEARS WARRANTY | HIGH LUMENS | 2.5 KVA SURGE | EXCELLENT CRI | LONG LIFE | ECO FRIENDLY | 0.9 P.F | IP20

MAKE IN India

RESIDENTIAL | COMMERCIAL | INDUSTRIAL

3000K | 4000K | 6000K

FOLLOW US AT

WWW.LIGHTBERRY.IN

SURFACE LED PANEL

PRODUCT SPECIFICATION

MODEL	POWER	LUMEN	SIZE	CUT SIZE
EL-3005	8 WATT	≥420 LM	⌀120x35mm/120x120x35mm	⌀105mm/105x105mm
EL-3005	15 WATT	≥1000 LM	⌀170x35mm/170x170x35mm	⌀155mm/155x155mm
EL-3005	22 WATT	≥2000 LM	⌀295x38mm/295x295x38mm	⌀205mm/205x205mm

MODEL	POWER	LUMEN	SIZE	CUT SIZE
BR-1003	8 WATT	≥420 LM	⌀120x35mm/120x120x35mm	⌀105mm/105x105mm 0.9
BR-1003	15 WATT	≥1000 LM	⌀170x35mm/170x170x35mm	⌀155mm/155x155mm 0.9
BR-1003	22 WATT	≥2000 LM	⌀295x38mm/295x295x38mm	⌀205mm/205x205mm 0.9

2 YEARS WARRANTY | HIGH LUMENS | 2.5 KVA SURGE | EXCELLENT CRI | LONG LIFE | ECO FRIENDLY | 0.9 P.F | IP20

MAKE IN India

RESIDENTIAL | COMMERCIAL | INDUSTRIAL

3000K | 4000K | 6000K | 3IN1

FOLLOW US AT

WWW.LIGHTBERRY.IN

REGULAR LED PANEL

PRODUCT SPECIFICATION

MODEL	POWER	LUMEN	SIZE	CUT SIZE
BR-1001	8 WATT	≥640 LM	⌀120x25mm/120x120x25mm	⌀105mm/105x105mm
BR-1001	15 WATT	≥1200 LM	⌀172x25mm/172x172x25mm	⌀155mm/155x155mm
BR-1001	22 WATT	≥1760 LM	⌀225x25mm/225x225x25mm	⌀205mm/205x205mm



2 YEARS WARRANTY | HIGH LUMENS | 2.5 KVA SURGE | EXCELLENT CRI | LONG LIFE | ECO FRIENDLY | 0.9 P.F | IP20

MAKE IN India

RESIDENTIAL | COMMERCIAL | INDUSTRIAL

3000K | 4000K | 6000K

FOLLOW US AT

WWW.LIGHTBERRY.IN

TRIMLESS SLIM PANEL

PRODUCT SPECIFICATION

MODEL	POWER	LUMEN	SIZE	CUT SIZE	PF
EL-1002	8 WATT	≥640 LM	⌀90x20mm/90x90x20mm	⌀70mm/70x70mm	0.9
EL-1002	15 WATT	≥1200 LM	⌀145x20mm/145x145x20mm	⌀120mm/120x120mm	0.9
EL-1002	22 WATT	≥1760 LM	⌀175x20mm/175x175x20mm	⌀155mm/155x155mm	0.9

2 YEARS WARRANTY | HIGH LUMENS | 2.5 KVA SURGE | EXCELLENT CRI | LONG LIFE | ECO FRIENDLY | 0.9 P.F | IP20

RESIDENTIAL | COMMERCIAL | INDUSTRIAL

FOLLOW US AT

TRIMLESS SURFACE PANEL

PRODUCT SPECIFICATION

MODEL	POWER	LUMEN	SIZE	PF
EL-1003	8 WATT	≥420 LM	⌀92x23mm/92x92x23mm	0.9
EL-1003	15 WATT	≥1000 LM	⌀140x23mm/140x140x23mm	0.9
EL-1003	22 WATT	≥1500 LM	⌀192x23mm/192x192x23mm	0.9

2 YEARS WARRANTY | HIGH LUMENS | 2.5 KVA SURGE | EXCELLENT CRI | LONG LIFE | ECO FRIENDLY | 0.9 P.F | IP20

MAKE IN India

3000K | 4000K | 6000K

WWW.LIGHTBERRY.IN

PVC DOWNLIGHT FITTING



PRODUCT SPECIFICATION

MODEL	POWER	LUMEN	SIZE	CUT SIZE	PF
EL-1004	8 WATT	≥540/ ≥600 LM	⌀125x35mm/125x125x35mm	⌀110mm/110x110mm	0.9
EL-1004	15 WATT	≥1080/ ≥1200 LM	⌀150x35mm/150x150x35mm	⌀130mm/130x130mm	0.9
EL-1004	22 WATT	≥1620/ ≥1800 LM	⌀175x35mm/175x175x35mm	⌀155mm/155x155mm	0.9

2 YEARS WARRANTY | HIGH LUMENS | 2.5 KVA SURGE | EXCELLENT CRI | LONG LIFE | ECO FRIENDLY | 0.9 P.F | IP20

MAKE IN India

RESIDENTIAL | COMMERCIAL | INDUSTRIAL

3000K | 4000K | 6000K

FOLLOW US AT

WWW.LIGHTBERRY.IN

BACKLIT LED PANEL

PRODUCT SPECIFICATION

MODEL	POWER	LUMEN	SIZE	CUT SIZE	PF
EL-1005	6 WATT	≥430 LM	⌀110x25mm/110x110x25mm	⌀90mm/90x90mm	0.9
EL-1005	12 WATT	≥1100 LM	⌀150x25mm/150x150x25mm	⌀130mm/130x130mm	0.9
EL-1005	18 WATT	≥1700 LM	⌀180x25mm/180x180x25mm	⌀155mm/155x155mm	0.9

2 YEARS WARRANTY | HIGH LUMENS | 2.5 KVA SURGE | EXCELLENT CRI | LONG LIFE | ECO FRIENDLY | 0.9 P.F | IP20

MAKE IN India

RESIDENTIAL | COMMERCIAL | INDUSTRIAL

3000K | 4000K | 6000K

FOLLOW US AT

WWW.LIGHTBERRY.IN

DOWNLIGHT IP68

PRODUCT SPECIFICATION

MODEL	POWER	LUMEN	SIZE	CUT SIZE
EL-1009	10 WATT	≥800 LM	⌀108x68mm	⌀100mm
EL-1009	18 WATT	≥1520 LM	⌀163x68mm	⌀155mm

2 YEARS WARRANTY | HIGH LUMENS | 2.5 KVA SURGE | EXCELLENT CRI | LONG LIFE | ECO FRIENDLY | 0.9 P.F | IP68

MAKE IN India

RESIDENTIAL | COMMERCIAL | INDUSTRIAL

3000K | 4000K | 6000K

FOLLOW US AT

WWW.LIGHTBERRY.IN

DIRECT SMD SURFACE LIGHT

PRODUCT SPECIFICATION

MODEL	SHAPE	POWER	LUMEN	SIZE	PF	BEAM ANGLE
EL-2002	RD	3 WATT	≥150 LM	⌀57x57x10mm	0.9	110°
EL-2002	SQ	3 WATT	≥150 LM	⌀61x9mm	0.9	110°

2 YEARS WARRANTY | HIGH LUMENS | 2.5 KVA SURGE | EXCELLENT CRI | LONG LIFE | ECO FRIENDLY | 0.9 P.F | IP20

RESIDENTIAL | COMMERCIAL | INDUSTRIAL

FOLLOW US AT

SURFACE LED LIGHT

PRODUCT SPECIFICATION

MODEL	SHAPE	POWER	LUMEN	SIZE	PF	BEAM ANGLE
EL-2003	RD	3 WATT	≥210 LM	⌀65x26mm	0.5	38°
EL-2003	SQ	3 WATT	≥210 LM	⌀60x60x28mm	0.5	38°

2 YEARS WARRANTY | HIGH LUMENS | 2.5 KVA SURGE | EXCELLENT CRI | LONG LIFE | ECO FRIENDLY | 0.9 P.F | IP20

MAKE IN India

3000K | 4000K | 6000K

WWW.LIGHTBERRY.IN

ABS SURFACE PANEL

PRODUCT SPECIFICATION

MODEL	POWER	LUMEN	SIZE	PF	BEAM ANGLE
EL-2004	8 WATT	≥480 LM	⌀120x23mm/115x115x23mm	0.9	110°
EL-2004	15 WATT	≥900 LM	⌀165x23mm/153x153x23mm	0.9	110°
EL-2004	26 WATT	≥- LM	⌀-	0.9	110°

2 YEARS WARRANTY | HIGH LUMENS | 2.5 KVA SURGE | EXCELLENT CRI | LONG LIFE | ECO FRIENDLY | 0.9 P.F | IP20

MAKE IN India

RESIDENTIAL | COMMERCIAL | INDUSTRIAL

3000K | 4000K | 6000K | RED | GREEN | BLUE | PINK | AMBER | ORANGE

JUNCTION LIGHT

PRODUCT SPECIFICATION

MODEL	POWER	SIZE	PF
EL-2005	3 WATT	⌀65x65x40mm	0.9
EL-2005	5 WATT	⌀110x75x30mm	0.9
EL-2005	7 WATT	⌀110x110x45mm	0.9
EL-2005	9 WATT	⌀110x110x50mm	0.9

MODEL	POWER	LUMEN	SIZE	CUT SIZE	PF
EL-2006	10 WATT	≥450 LM	⌀95x95x30mm	⌀75mm	0.9

MODEL	POWER	SIZE	CUT SIZE	PF
EL-2007	7 WATT	⌀93x93x37mm	⌀100mm	0.9
EL-2007	12 WATT	⌀120x120x35mm	⌀100mm	0.9

2 YEARS WARRANTY | HIGH LUMENS | 2.5 KVA SURGE | EXCELLENT CRI | LONG LIFE | ECO FRIENDLY | 0.9 P.F | IP20

MAKE IN India

RESIDENTIAL | COMMERCIAL | INDUSTRIAL

3000K | 4000K | 6000K | RED | GREEN | BLUE | PINK

RIMLESS SURFACE LED PANEL

PRODUCT SPECIFICATION

MODEL	POWER	LUMEN	SIZE	PF	BEAM ANGLE
EL-2008	8 WATT	≥480/≥510 LM	⌀90x27mm/90x90x27mm	0.9	120°
EL-2008	15 WATT	≥960/≥990 LM	⌀120x27mm/120x120x27mm	0.9	120°
EL-2008	22 WATT	≥1440/≥1480 LM	⌀155x27mm/155x155x27mm	0.9	120°

2 YEARS WARRANTY | HIGH LUMENS | 2.5 KVA SURGE | EXCELLENT CRI | LONG LIFE | ECO FRIENDLY | 0.9 P.F | IP20

RESIDENTIAL | COMMERCIAL | INDUSTRIAL

FOLLOW US AT

BORDERLESS SURFACE LIGHT

PRODUCT SPECIFICATION

MODEL	POWER	LUMEN	SIZE	PF	BEAM ANGLE
EL-2009	3 WATT	≥180 LM	⌀60x20mm	0.9	110°
EL-2009	6 WATT	≥420 LM	⌀80x20mm	0.9	110°

2 YEARS WARRANTY | HIGH LUMENS | 2.5 KVA SURGE | EXCELLENT CRI | LONG LIFE | ECO FRIENDLY | 0.9 P.F | IP20

MAKE IN India

3000K | 4000K | 6000K

WWW.LIGHTBERRY.IN

SMART DETACHABLE PANEL

PRODUCT SPECIFICATION

MODEL	POWER	LUMEN	SIZE	CUT SIZE	PF
EL-3003	8 WATT	≥640 LM	⌀122x41mm/122x122x43.5mm	⌀108mm	0.9
EL-3003	15 WATT	≥1290 LM	⌀172x41mm/172x172x43.5mm	⌀158mm	0.9
EL-3003	22 WATT	≥1940 LM	⌀210x41mm/210x210x43.5mm	⌀196mm	0.9

2 YEARS WARRANTY | HIGH LUMENS | 2.5 KVA SURGE | EXCELLENT CRI | LONG LIFE | ECO FRIENDLY | 0.9 P.F | IP20

RESIDENTIAL | COMMERCIAL | INDUSTRIAL

FOLLOW US AT

REGULAR LED PANEL 1x1

PRODUCT SPECIFICATION

MODEL	POWER	LUMEN	SIZE	CUT SIZE
EL-1007	30 WATT	≥2400 LM	⌀300x300x25mm	⌀285x285mm



2 YEARS WARRANTY | HIGH LUMENS | 2.5 KVA SURGE | EXCELLENT CRI | LONG LIFE | ECO FRIENDLY | 0.9 P.F | IP20

MAKE IN India

3000K | 4000K | 6000K

WWW.LIGHTBERRY.IN

COLOUR CHANGING PANEL

RESIDENTIAL | COMMERCIAL | INDUSTRIAL

FOLLOW US AT

PRODUCT SPECIFICATION

MODEL	POWER	LUMEN	SIZE	CUT SIZE	PF
EL-3001	3+3W	≥480 LM	ø105x105mm	ø75mm	0.9
EL-3001	6+3W	≥720 LM	ø145x145mm	ø105mm	0.9
EL-3001	12+4W	≥1280 LM	ø195x195mm	ø150mm	0.9

2 YEARS WARRANTY | HIGH LUMENS | 2.5 KVA SURGE | EXCELLENT CRI | LONG LIFE | ECO FRIENDLY | 0.9 P.F | IP20

MAKE IN India

WH+WW | WH+GR | WH+BL | WH+RD | WH+PK

WWW.LIGHTBERRY.IN

FRAMELESS LED PANEL

PRODUCT SPECIFICATION

MODEL	POWER	LUMEN	SIZE	CUT SIZE	PF
EL-3002	5 WATT	≥450/ ≥480 LM	⌀70x25mm/70x70x25mm	⌀45mm/45x45mm	0.9
EL-3002	9 WATT	≥720/ ≥760 LM	⌀110x35mm/110x110x35mm	⌀70mm/70x70mm	0.9
EL-3002	15 WATT	≥1200/ ≥1400 LM	⌀155x35mm/155x155x35mm	⌀115mm/115x115mm	0.9
EL-3002	22 WATT	≥1980/ ≥2100 LM	⌀190x35mm/190x190x35mm	⌀145mm/145x145mm	0.9

2 YEARS WARRANTY | HIGH LUMENS | 2.5 KVA SURGE | EXCELLENT CRI | LONG LIFE | ECO FRIENDLY | 0.9 P.F | IP20

MAKE IN India

RESIDENTIAL | COMMERCIAL | INDUSTRIAL

3000K | 4000K | 6000K

FOLLOW US AT

WWW.LIGHTBERRY.IN

LIGHT BERRY®

SMART LIGHTING SMART IDEAS

AN ISO 9001:2015 Certified Company

MAKE IN India

AATMA-NIRBHAR BHARAT
आत्मनिर्भर भारत अभियान

Copyright © 2021 Light Berry Innovative Idea Private Limited

91376 03649 lightberryindia@gmail.com www.lightberry.in